

Wacky Rolls .5g THCA Preroll Durban Poison

Sample ID: HR20241190040

Strain: Durban Poison

Matrix: Plant

Type: Preroll

Sample Size: ; Batch:

Produced:

Collected: 11/01/2024

Received: 11/01/2024

Completed: 03/04/2025

Batch#: NCO-DP-7000


Client

DD WORLDWIDE LLC

Lic. #

3214 N Rancho DR PMB

Las Vegas, NV 89130



Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	11/04/2024	Complete
Moisture	11/04/2024	11.15%

Cannabinoids

Complete

6.38%			4.24%		16.53%	
Total THC			Total CBD		Total Cannabinoids	
Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Result mg/unit	Result mg/serving
THCa	0.20000	0.61000	6.99	69.85		
Δ9-THC	0.15000	0.45000	0.25	2.52		
Δ8-THC	0.14000	0.42000	ND	ND		
THCV	0.15000	0.44000	ND	ND		
CBDa	0.10000	0.31000	4.23	42.26		
CBD	0.15000	0.45000	0.53	5.33		
CBN	0.16000	0.50000	ND	ND		
CBGa	0.29000	0.88000	6.43	64.30		
CBG	0.13000	0.39000	0.27	2.71		
CBC	0.14000	0.42000	ND	ND		
Total THC			6.38	63.78	0.00	0.00
Total CBD			4.24	42.39		
Total			16.53	165.27	0.00	0.00
Sum of Cannabinoids			18.70	186.97		

Determination of Cannabinoids by HPLC, HL223

Total THC = Δ9-THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



Ming Li

Ming Li - General Manager
03/04/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.